

REFERÊNCIAS

- ABDULLAH, Y.; SCHNEIDER, B.; PETERSEN, M. Occurrence of rosmarinic acid, chlorogenic acid and rutin in Marataceae species. **Phytochemistry letters**, v.1, p. 199-203, 2008.
- ALBERT, L. H. B.; FILHO, R. V. Micromorfologia foliar de espécies de *Sida* spp. (guanxumas). **Planta Daninha**, v.20, n.3, p.337-342, 2002.
- ASSENDER, H.; BLIZNYUK, V.; PORFYRAKIS, K. How Surface Topography Relates to Materials' Properties. **Science**, v.297, p.973-976, 2002.
- BARTHLOTT, W.; NEINHUIS, C. Purity of the sacred lotus, or escape from contamination in biological surfaces. **Planta**, v.202, p.1-8, 1997.
- BHUSHAN, B.; JUNG, Y. C. Wetting study of patterned surfaces for superhydrophobicity. **Ultramicroscopy**, v.107, p.1033-1041, 2007.
- BHUSHAN, B.; JUNG, Y. C.; KOCH, K. Micro-, nano- and hierarchical structures for superhydrophobicity, self-cleaning and low adhesion. **Phil. Trans. R. Soc. A**, v.367, p.1631-1672, 2009.
- BICO, J.; MARZOLIN, C.; QUÉRÉ, D. Pearl drops. **Europhys. Lett.** v.47, n.2, p.220-226, 1999.
- BITLER, A.; DOVER, R.; SHAI, Y. Fractal properties of macrophages membrane studied by AFM, **Micron**, v.43, n.12, p. 1239-1245, 2012.
- BLOSSEY, R. Self-cleaning surfaces-virtual realities. **Nature Materials**, v.297, n.2, p.301-306, 2003.
- BORMASHENKO, E.; GENDELMAN, O.; WHYMAN, G. Superhydrophobicity of Lotus Leaves versus Birds Wings: Different Physical Mechanisms Leading to Similar Phenomena. **Langmuir**, v.28, p. 14992-14997, 2012.
- BORMASHENKO, E. Why does the Cassie–Baxter equation apply? **Colloids and Surfaces A: Physicochem. Eng. Aspects**, v.324, p. 47-50, 2008.
- BURKARTER, E. **Construção de Imagens por Padrões Hidrofóbico/Hidrofílico**. Dissertação (Mestrado). Setor de Ciências Exatas, Universidade Federal do Paraná, Curitiba-PR, 94 p., 2006.
- BURTON, Z.; BHUSHAN, B. Surface characterization and adhesion and friction properties of hydrophobic leaf surfaces. **Ultramicroscopy**, v.106, p.709-719, 2006.
- BUTT, H. J.; CAPPELLA, B.; KAPPL, M. Force measurements with the atomic force microscope: Technique, interpretation and applications. **Surface Science Reports**, v.59, p.1-152, 2005.
- CATICHA, A.; GOLAN, A. An entropic framework for modeling economies, **Physica A**, v.408, p.149-163, 2014.
- CHAU, T. T.; BRUCKARD, W. J.; KOH, P. T. L.; NGUYEN, A. V. A review of factors that affect contact angle and implications for flotation practice. **Advances in Colloid and Interface Science**, v.150, p.106-115, 2009.
- CHOI, W.; TUTEJA, A.; MABRY, J. M.; COHEN, R. E.; MCKINLEY, G. H. A modified Cassie-Baxter relationship to explain contact angle hysteresis and anisotropy on non-wetting textured surfaces. **Journal of Colloid and Interface Science**, v.339, p.208-216, 2009.

CORRÊA, M. P.; PENA, L. A. apud KINUPP, A. F. **Plantas alimentícias não-convencionais da região metropolitana de Porto Alegre, RS**. Tese (Doutorado). Faculdade de Agronomia, Universidade Federal do Rio Grande do Sul, Porto Alegre-RS, 2007, 562 p.

COSTA, F.; ESPINELLI, F.; FIGUEIREDO, F. **Guia de Marantáceas: da reserva Ducke e da Rebio Uatumã**. Manaus: INPA, 156 p., 2008.

DAVID, R. NEUMANN, A. W. Contact Angle Patterns on Low-Energy Surfaces. **Advances in Colloid and Interface Science**. v.206, p.46–56, 2014.

EBERT, D.; BHUSHAN, B. Durable Lotus-effect surfaces with hierarchical structure using micro- and nanosized hydrophobic silica particles. **Journal of Colloid and Interface Science**, v.368, p. 584-591, 2012.

ENSIKAT, H.J.; BOESE, M.; MADER, W.; BARTHLOTT, W.; KOCH, K. Crystallinity of plant epicuticular waxes: electron and X-ray diffraction studies. **Chemistry and Physics of Lipids**. v.144, p.45–59, 2006.

EXTRAND, C. W. Repellency of the Lotus Leaf: Resistance to Water Intrusion under Hydrostatic Pressure. **Langmuir**, v.27, p.6920-6925, 2011.

FARINA, D.; LECLERC, F.; ARENDT-NIELSEN, L.; BUTTELLI, O.; MADELEINE, P. The change in spatial distribution of upper trapezius muscle activity is correlated to contraction duration. **J. Electromyog. Kinesiol.**, v.18, n.1, p16-25, 2008.

FERREIRA, T. B. **Manejo, gestão de recursos naturais e luta pela terra pelos Borari de Novo Lugar – TI Maró, Santarém, Pará**. Dissertação (Mestrado). Núcleo de Ciências Agrárias e Desenvolvimento Rural. Universidade Federal do Pará. Belém-PA, 198 p., 2011.

FURTADO, R. A.; OLIVEIRA, B. R.; SILVA, L.; CLETO, S. S.; MUNARI, C. C.; CUNHA, W. R.; TAVARES, D. C. Chemopreventive effects of rosmarinic acid on rat colon carcinogenesis. **European Journal of Cancer Prevention**, v. 24, n. 2, p. 106-112, 2015.

GANESHANA, B.; MILES, K. A.; YOUNG, R. C.; CHATWIN, C. R. Hepatic entropy and uniformity: additional parameters that can potentially increase the effectiveness of contrast enhancement during abdominal CT. **Clinical Radiology**, v.62, n.8, p.761-768, 2007.

GAO, N.; YAN, Y. Modeling Superhydrophobic Contact Angles and Wetting Transition. **Journal of Bionic Engineering**, v.6, p.335-340, 2009.

GAO, L.; MCCARTHY, J. The “Lotus Effect” explained: two reasons why two length scale of topography are important. **Langmuir**, v.22, p.2966-2967, 2006.

GOBBO-NETO, L.; LOPES, N. P. Plantas medicinais_ Fatores de influência no conteúdo de metabólitos secundários. **Quim. Nova**, v. 30, n. 2, p.374-381, 2007.

GUO, Z. G.; LIU, W. M.; SU, B. L. A stable lotus-leaf-like water-repellent copper. **Appl. Phys. Lett.**, v.92, p.063104-1 – 063104-3, 2008.

YU, J.; CHARY, S.; DAS, S.; TAMELIER, J.; TURNER, K. L.; ISRAELACHVILI, J. N. Friction and adhesion of gecko-inspired PDMS flaps on rough surfaces. **Langmuir**, v.28, p.11527-11534, 2012.

KAM, K. M.; ZENG, L.; ZHOU, Q.; TRAN, R.; YANG, J. On assessing spatial uniformity of particle distributions in quality control of manufacturing processes, **J Manuf. Syst.**, v.32, p.154-166, 2012.

KINUPP, A. F. **Plantas alimentícias não-convencionais da região metropolitana de Porto Alegre, RS**. Tese (Doutorado). Faculdade de Agronomia, Universidade Federal do Rio Grande do Sul, Porto Alegre-RS, 2007, 562 p.

KOCH, K.; BARTHLOTT, W. Superhydrophobic and superhydrophilic plant surface: an inspiration for biomimetic materials. **Phil. Trans. R. Soc. A**, v.367, p.1487-1509, 2009.

KOCH, K.; BHUSHAN, B.; BARTHLOTT, W. Diversity of structure, morphology and wetting of plant surfaces. **Soft Matter**, v.4, p.1943-1963, 2008.

KOJADINOVIC I.; MARICHAL; J.-L. Entropy of bi-capacities. **European Journal of Operational Research**, v.178, p.168-184, 2007.

KWOK, D. Y.; NEUMANN, A. W. Contact angle measurement and contact angle interpretation. **Advances in Colloid and Interface Science**, v.81, p.167-249, 1999.

KLOUBEK, J. Development of methods for surface free energy determination using contact angles of liquids on solids. **Advances in Colloid and Interface Science**, v.38, p.99-142, 1992.

KREGER, D. R. **An X-ray study of waxy coatings from plants: Comparative Investigations, and the Application of a New Micro-Method for X-Ray Diffraction to Structural Problems with Ancillary Observations under the Polarising and the Electron Microscope**. Gravenhage: Recueil des Travaux Botaniques Néerlandais, 1948. 736 p.

LAN, C. N. C.; WU, R.; LI, D. HAIR, M. L. Study of the advancing and receding contact angles: liquid sorption as a cause of contact angle hysteresis. **Advances in Colloid and Interface Science**, v.96, p.169-191, 2002.

LAGNIKA, L.; ATTIOUA, B.; WENIGER, B.; KAISER, M.; SANNI, A.; VONTHRON-SENECHEAU C. Phytochemical Study and Antiprotozoal Activity of Compounds Isolated from *Thalia geniculata*. **Pharmaceutical Biology**, v. 46, n.3, p.162-165, 2008.

LEY, A. C.; CLABEN-BOCKHOFF, R. Pollination syndromes in African Marantaceae. **Annals of Botany**, v. 104, p.41-56, 2009.

LIMA, E. M. C. X.; SILVA, W. J.; MOURA, J. S.; FAOT, F.; CURY, A. A. D. B. Evaluation of surface characteristics of Ti-6Al-4V and Tilite alloys used for implant abutments. **Braz Oral Res.**, v.20, n. 4, p. 307-311, 2006.

LINEU, C. **Species Plantarum**, 2: 1193-1753, 1753. Disponível em: <<http://www.ipni.org/ipni/idPlantNameSearch.do?id=798255-1>> Acesso em: março de 2015.

LIU, Y.; LI, G. A new method for producing “Lotus Effect” in a biomimetic shark skin. **Journal of Colloid and Interface Science**, v. 388, p. 235-242, 2012.

- LORENZ, B.; KRICK, B. A.; MULAKALURI, N.; SMOLYAKOVA, M.; DIELUWEIT, S.; SAWYER, W. G.; PERSSON, B. N. Adhesion: role of bulk viscoelasticity and surface roughness. **J. Phys.: Condens. Matter**, v.25, p.1-16, 2013.
- MACIEL, M. A. M.; PINTO, A. C.; VEIGA JR, V. F. Plantas medicinais: a necessidade de estudos multidisciplinares. **Quim. Nova**, v.25, n.3, p.429-438, 2002.
- MARÍN-MUÑIZ, J. L.; HERNÁNDEZ, M. E.; MORENO-CASASOLA, P. Comparing soil carbon sequestration in coastal freshwater wetlands with various geomorphic features and plant communities in Veracruz, Mexico. **Plant Soil**, v. 378, p.189-203, 2014.
- MARMUR, A. The Lotus Effect: Superhydrophobicity and Metastability. **Langmuir**, v. 20, p. 3517-3519, 2004.
- MOREIRA, A. D. R.; BOVE, C. P. Plantas aquáticas do horto botânico do museu nacional do Rio de Janeiro. **Arquivos do Museu Nacional**, Rio de Janeiro, v.66, n.3, p.1-18, 2008.
- NEINHUIS, C.; BARTHLOTT, W. Characterization and distribution of water-repellent, self-cleaning plant surfaces. **Annals of Botany**, v.79, p.667-677, 1997.
- NOSONOVSKY, M. Entropy in Tribology: in the Search for Applications. **Entropy**, v.12, n.6, p.1345-1390, 2010.
- NOSONOVSKY, M.; BHUSHAN, B. (A) Hierarchical roughness makes superhydrophobic states stable. **Microelectronic Engineering**, v.84, p.382-386, 2007.
- NOSONOVSKY, M.; BHUSHAN, B. (B) Hierarchical roughness optimization for biomimetic superhydrophobic surfaces. **Ultramicroscopy**, v.107, p.969-979, 2007.
- OLIVEIRA, K. B. **Determinação do ácido rosmarínico em *Salvia officinalis* L., Lamiaceae, e avaliação de sua toxicidade e influência na melanogênese.** Dissertação (Mestrado), Universidade Federal do Paraná, Curitiba-PR, 2010. 134p.
- PARK, Y. K.; IKEGAKI, M.; ABREU, J. A. S.; Estudo da preparação dos extratos de própolis e suas aplicações. **Ciênc. Tecnol. Aliment**, v.18, n.3, 1998.
- PERSSON, B. N. J.; ALBOHR, O.; TARTAGLINO, U.; VOLOKITIN, A. I; TOSATTI, E. On the nature of surface roughness with application to contact mechanics, sealing, rubber friction and adhesion. **J. Phys.: Condens. Matter**, v.17, p.1-62, 2005.
- PORTER, L. J.; MA, Z.; CHAN, B. G. Cacao procyanidins: major flavanoids and identification of some minor metabolites. **Phytochemistry**, v.30, n.5, p.1657-1663, 1991.
- PRIMO, F. L. **Estudos fotofísicos e in vitro em modelo animal do fármaco fotosensibilizador Foscan® incorporado em nanoemulsão: avaliação como sistema de liberação em terapia fotodinâmica do câncer de pele.** Dissertação (Mestrado), Universidade de São Paulo, Ribeirão Preto-SP, 2006. 126p.
- R Core Team R: A language and environment for statistical computing, Vienna, ISBN 3-900051-07-0, 2012.

- ROUND, A. N.; YAN, B.; DANG, S.; ESTEPHAN, R.; STARK, R. E.; BATTEAS, J. D. The influence of water on the nanomechanical behavior of the plant biopolyester cutin as studied by AFM and solid-state NMR. **Biophysical Journal**, v.79, p.2761–2767, 2000.
- SAITO, M.; HOSOYAMA, H.; ARIGA, T.; KATAOKA, S.; YAMAJI, N. Antiulcer activity of grape seed extract and procyanidins. **J. Agric. Food Chem.**, v.46, p.1460-1464, 1998.
- SANTOS, R. L.; GUIMARÃES, G. P.; NOBRE, M. S. C.; PORTELA, A. S. Análise sobre a fitoterapia como prática integrativa no Sistema Único de Saúde. **Rev. Bras. Pl. Med.**, v.13, n.4, p.486-491, 2011.
- SEELIGER, U.; ODEBRECHT, C.; CASTELLO, J. P. Os ecossistemas costeiro e marinho do extremo sul do Brasil. Editora ecoscientia. Rio Grande do Sul. 1998.
- SHANNON, C. E. A Mathematical Theory of Communication, **Bell Syst. Tech. J.**, v.27, p.379-423, 1948.
- SHIRTCLIFFE, N. J.; MCHALE, G.; ATHERTON, S.; NEWTON, M. I. An introduction to superhydrophobicity. **Advances in Colloid and Interface Science**, v.161, p.124-138, 2010.
- SONG, C.; ZHENG, Y. Wetting-controlled strategies: From theories to bio-inspiration. **Journal of Colloid and Interface Science**, v.427, p.2–14, 2014.
- SUBEDI, D. P. Contact angle measurement for the surface characterization of solids. **The Himalayan Physics**, v. 2, p.1-4, 2011.
- VILA, F. C. **Identificação dos flavonoides com atividade antioxidante da cana-de-açúcar (*saccharum officinarum* L.)**. Dissertação (Mestrado). Universidade de São Paulo, São Carlos-SP, 2006. 68p.
- WANG, H.; SHI, H.; LI, Y.; WANG, Y. The Effects of Leaf Roughness, Surface Free Energy and Work of Adhesion on Leaf Water Drop Adhesion. **PLoS ONE**, v.9, n.9, p.1-10, 2014.
- YAN, Y. Y.; GAO, N.; BARTHLOTT, W. Mimicking natural superhydrophobic surfaces and grasping the wetting process: A review on recent progress in preparing superhydrophobic surfaces. **Advances in Colloid and Interface Science**, v.169, p.80-105, 2011.
- YUAN, Y.; LEE, T. R. Contact Angle and Wetting Properties. **In Surface Science Techniques**. BRACCO, G.; HOLTS, B. 2013. XXIII, 663 p.
- ZEILHOFER, P.; SCHESSL, M. Relationship between vegetation and environmental conditions in the northern Pantanal of Mato Grosso, Brazil. **Journal of Biogeography**, v.27, p.159-168, 2000.
- ZENKIEWICZ, M. Methods for the calculation of surface free energy of solids. **Journal of Achievements in Materials and Manufacturing Engineering**, v.24, p.137-145, 2007.
- ZERAIK, M. L.; YARIWAKE, J. H. Extração de β -caroteno de cenouras: uma proposta para disciplinas experimentais de química. **Quim. Nova**, v.31, n.5, p. 1259-1262, 2008.
- ZHENG, Y.; HAN, D.; ZHAI, J.; JIANG, L. *In situ* investigation on dynamic suspending of microdroplet on lotus leaf and gradient of wettable micro- and nanostructure from water condensation. **Appl. Phys. Lett**, v.92, p.084106-1 – 084106-3, 2008.

ZHOU, Q.; ZENG, L.; DECICCO, M.; LI, X.; ZHOU, S. A comparative study on clustering indices for distribution uniformity of nanoparticles in metal matrix nanocomposites, **CIRP Journal of Manufacturing Science and Technology**, v.5, p.348-356, 2012.